



A Report on Tomatoes in Chile

CULTIVO ECOLOGICOS Y PROTECCION AMBIENTAL S.A.

CHILE

EXCLUSIVE DISTRIBUTOR OF: ZUMSIL, L-amino PGR & LITHOVIT

Plantation at 15 days from planting



First application on plants at 35 days



Plants with application at 60 days



Plants not Treated



Treated Plants



April 2015



April 2015



Harvest April 2015





Products Used

- ZumSil
- L-amino PGR
- Lithovit

Treated Plants at 60 Days



Treated



Non-Treated



Treated



Non-Treated



Treated Section

Non-Treated Section

Planted one week earlier



Results

	Treated	Not	Difference	Δ^+	%
Diameter of Cut <small>cm</small>	1,76	1,38	0,38	27,5	
Height <small>cm</small>	189	180	9	5,18	
Center Diameter <small>cm</small>					
1° Cluster	7,02	6,59	0,43	6,8	
2° Cluster	6,37	5,76	0,61	10,5	
3° Cluster	5,16	4,6	0,56	12,0	

Average Sample from 100 Plants

Suggested Plant Program Per Hector

Application	Product	At 10-15 days from Transplant	A 30-35 days Transplant	A 45-50 days Transplant	Total
Foliar	ZumSil	0,5 lt	0,5 lt	1,0 lt	2,0 lt
	L-amino PGR	0,1 kg	0,2 kg	0,2 kg	0,5 kg
	LithoVIT	0,5 kg	0,5 kg	1,0 kg	2,0 kg
Soil	ZumSil	1,0 lt	1,0 lt		2,0 lt